

Department of Engineering Science Aerospace Engineering and Nuclear Engineering WALE ROLLY OF THE STATE OF THE

State University of New York at Buffalo



Report No. 103

INTERFACIAL ELASTIC PARAMETERS IN TORSIONAL

VIBRATIONS OF A PERIODIC STRUCTURED CYLINDRICAL ROD*

OR. P

by

R. P. Shaw and R. K. Kaul

September, 1977



DC FILE CO

^{*}This research was supported in part by the Office of Naval Research under Contract No. N00014-75-C-0302. Approved for public release. Distribution unlimited.

The analysis of wave propagation in periodic elastic structures, i.e., structures in which the elastic constants of the material vary in a periodic manner, is of great interest due to the presence of passing and stopping frequency bands in such structures. While such an analysis is in general quite complicated, closed form solutions have recently been obtained for a number of simpler problems. It is the purpose of this note to discuss an alternative approach to such problems which may be of some value in gaining physical insight into the properties of the solution and in qualitatively "sketching" the frequency spectrum with reduced effort.

One common physical case studied so far is that of torsional elastic wave propagation in a bi-element composite circular cylinder, either solid, reference [1], or hollow, reference [2]. The outer (and inner, if present) boundaries are taken as stress free. The prismatic cylinder is assumed to be infinite in length, $|z| < \infty$, and consists of two homogeneous elements, comprising region I of length ℓ , density ρ and shear modulus μ and region II of length ℓ , density ρ' and shear modulus μ' , repeated periodically in the axial (z) direction with a unit cell size $d \equiv (\ell + \ell')$. Such a problem has only a single displacement component, U_{θ} , independent of the θ coordinate in a cylindrical coordinate system (r,θ,z) . This displacement component satisfies a wave equation with phase speed $c = (\mu/\rho)^{1/2}$ and $c' = (\mu'/\rho')^{1/2}$ in regions I and II respectively. We choose the z coordinate positive to the right and assume a time harmonic dependence proportional to $\exp(-i\omega t)$, where ω is the angular frequency in radians per unit of time.

In this simple example, the governing field equation readily separates in (r,z) to give tangential component of displacement in the form:

(1) (a) Region I, 0 < z < 1:

$$U_{\theta}^{I} = [A \sin (\lambda z/\ell) + B \cos (\lambda z/\ell)] Z^{I}(\kappa r/a) \exp(-i\omega t),$$

(b) Region II, - l' < z < 0:

$$U_{\theta}^{\text{II}} = [A' \sin (\lambda'z/\ell') + \hat{B} \cos (\lambda'z/\ell')] Z^{\text{II}}(\kappa'r/a) \exp(-i\omega t).$$

We take the outer radius of the cylinder to be a, the inner radius (if one exists) b, the half thickness h=(a-b)/2 and $\Omega=\omega/\omega_s$ where $\omega_s=\pi c/2h$ is the lowest thickness shear frequency of an infinite, isotropic, homogeneous plate of half thickness, h, mass density, ρ , and shear modulus, μ . We have condensed the notation (which corresponds to [1] and [2]) by introducing $\kappa\equiv\pi ka/2h$, $\kappa'\equiv\pi k'a/2h$, $\lambda\equiv\pi\xi\ell/2h$, $\lambda'\equiv\pi\xi'\ell'/2h$. The radial solutions, Z, are given by

(2)
$$Z^{I} = (2/\kappa) J_{1}(\kappa r/a)$$
 $\kappa^{2} \ge 0$
 $= (2/\kappa) I_{1}(\kappa r/a)$ $\kappa^{2} \le 0$
 $= r/a$ $\kappa^{2} = 0$

for the solid cylinder and

(3)
$$z^{I} = (2/\kappa) J_{1}(\kappa r/a) - (\pi \kappa/2) DY_{1}(\kappa r/a) \qquad \kappa^{2} \ge 0$$

 $= (2/\kappa) I_{1}(\kappa r/a) + \kappa D K_{1}(\kappa r/a) \qquad \kappa^{2} \le 0$
 $= r/a + Da/r \qquad \kappa^{2} = 0$

for the hollow cylinder with similar equations for z^{II} in terms of κ' and D' and where

(4)
$$(l\kappa/a)^2 + \lambda^2 = (l\omega/c)^2$$
 or $k^2 + \xi^2 = \Omega^2$,
 $(l'\kappa'/a)^2 + \lambda'^2 = (l'\omega/c')^2$ or $k'^2 + \xi'^2 = (c/c')^2\Omega^2$.

The radial boundary conditions require zero shear stress, $\tau_{r\theta} = \mu r \partial [U_{\theta}/r]/\partial r$, on the outer surface r=a and either zero shear stress on the inner surface r=b for the hollow cylinder or a bounded displacement at the origin 0^+ for the solid cylinder (this was already implied in the form of Z used above for the solid cylinder).

For the solid cylinder, the radial boundary condition requires

(5)
$$J_2(\kappa) = 0$$
,

for $\kappa^2 \ge 0$ and has no roots for $\kappa^2 < 0$. Roots of this transcendental equation as given in [3] are $\kappa_0 = 0$, $\kappa_1 = 5.1356$, $\kappa_2 = 8.4172$, etc.

For the hollow cylinder, the boundary conditions require

(6)
$$J_2(\kappa) Y_2(\kappa t) - J_2(\kappa t) Y_2(\kappa) = 0, t = b/a$$

$$D = (\pi \kappa^2/4) Y_2(\kappa)/J_2(\kappa),$$

for $\kappa^2 > 0$ and no solution for $\kappa^2 < 0$. Roots of this transcendental equation must be calculated as a function of t. For t = 1/3, κ_1 = 1.1892, κ_2 = 2.1160, κ_3 = 3.0811, etc., and for t = 1/2, κ_1 = 1.08446, κ_2 = 2.04602, κ_3 = 3.03122, etc. Similar results hold for κ' .

The remaining boundary conditions apply to surfaces of constant z. The origin and direction of the z axis are arbitrary; we choose z=0 at the interface between regions II and I and first require continuity of U_{θ} and $\tau_{z\theta} = \mu \partial U_{\theta}/\partial z$. This leads to the two conditions

(7)
$$vA = v^{\dagger}A^{\dagger}, B = B^{\dagger},$$

where

$$v = \mu \lambda / \ell$$
 and $v' = \mu' \lambda' / \ell$.

The remaining interfacial condition is a quasi-periodicity condition which, by Floquet's theorem, requires the wave amplitude to have the same periodic structure as that of the elastic medium, in order to have a solution

$$U_{\theta}(\mathbf{r},z,t) = w(\mathbf{r},z) \exp i (\gamma z - \omega t),$$

where w is periodic in z with periodicity d, i.e., w(r,z+d) = w(r,z) and γ is the Floquet's wave number corresponding to the phase shift, which has to be determined from the solution of the problem.

This leads to the quasi-periodic conditions

(a)
$$U_{\theta}^{I}(r,\ell,t) = U_{\theta}^{II}(r,-\ell',t) \exp i\gamma d$$
,

(8)

(b)
$$\tau_{z\theta}^{I}(r,\ell,t) = \tau_{z\theta}^{II}(r,-\ell',t) \exp i\gamma d$$

where for convenience we have dropped explicit time harmonic dependence $\exp(-i\omega t)$. Equation (8) implies $Z^{I}(\kappa r/a) \equiv Z^{II}(\kappa'r/a)$, i.e., $\kappa \equiv \kappa'$; and

(a) A
$$\sin \lambda + B \cos \lambda = [-A' \sin \lambda' + B' \cos \lambda'] \exp i\gamma d$$
,

(9)

(b)
$$v[A \cos \lambda - B \sin \lambda] = v'[A' \cos \lambda' + B' \sin \lambda'] \exp i\gamma d$$
.

While the problem is completely formulated at this point and has indeed been solved in this form in references [1] and [2], we, however, introduce slight modification in the variables of the problem.

We introduce the "interfacial elastic parameter", Q, as the ratio of stress to displacement at an interface. Clearly Q is piecewise continuous throughout the rod. Consider first $Q|_{z=0} \equiv Q_0$ defined as

(10)
$$Q_0 = \tau_{z\theta} (0)/U_{\theta}(0) = vA/B = v^jA^i/B^i$$
.

Equations (9a) and (9b) may then be rewritten as

(a)
$$B(Q_0 \sin \lambda + \nu \cos \lambda) = B'(\nu/\nu') [-Q_0 \sin \lambda' + \nu' \cos \lambda'] \exp(i\gamma d)$$
,
(11)

(b)
$$B(Q_0 \cos \lambda - \nu \sin \gamma) = B'[Q_0 \cos \lambda' + \nu' \sin \lambda'] \exp(i\gamma d)$$
.

Consistency of these two homogeneous equations requires that the determinant of the coefficients be zero. This leads us to the frequency equation

$$Q_0^2$$
 [v' sin λ cos λ ' + v sin λ ' cos λ] + Q_0 (v'² - ν ²) sin λ sin λ '

(12)
$$+ \nu \nu'$$
 ($\nu' \sin \lambda' \cos \lambda + \nu \sin \lambda \cos \lambda'$) = 0, $0 \le Q_0 < \infty$.

On the other hand, we may eliminate Q_0 from Eq. (11) by using Eq. (10) and then obtain the usual dispersion equation.

(13)

 $\left[\exp(i\gamma d)\right]^2 + \left[(v/v' + v'/v) \sin \lambda \sin \lambda' - 2 \cos \lambda \cos \lambda'\right] \exp(i\gamma d) + 1 = 0,$

which relates Floquet wave number γ to the axial wave numbers λ and λ '. Clearly, the second order equation has two solutions whose product is unity and whose sum is

(14)
$$\cos \gamma d = \cos \lambda \cos \lambda' - \frac{1}{2} \left(\frac{\nu}{\nu'} + \frac{\nu'}{\nu} \right) \sin \lambda \sin \lambda'.$$

If we examine the completely homogeneous case, $\ell=\ell'$, $\mu=\mu'$, $\rho=\rho'$, $\xi=\xi'$ and $\nu=\nu'$, we get the solutions $\gamma=\pm(\pi/d)\,(\xi\ell/h\pm2\pi)$, $n=0,1,2,\ldots$ On the extended zone scheme we select n=0, and therefore the two values for $\gamma=\pm\pi\xi/2h=\pm\lambda/\ell$ are real and simply represent the two directions in which torsional waves can propagate with no change in amplitude. This is best seen by examining the form of the z dependence in the tangential component of displacement

$$U_{\theta} = B[(A/B) \sin(\lambda z/\ell) + \cos(\lambda z/\ell)] Z(\kappa r/a),$$

where, from equation (10) it can easily be shown that

$$A/B = Q_0/v = \pm i$$
.

Hence, as expected

$$U_{\theta} = B[\cos(\lambda z/\ell) \pm i \sin(\lambda z/\ell)] Z(\kappa r/a),$$

= B
$$\exp(\pm i\lambda z/\ell)$$
 Z(kr/a),

and represents the two directions in which the torsional wave can propagate without change of form.

While there may be no general advantage in calculating Q_0 for a given Ω and then calculating γ etc., there are some special circumstances where the introduction of Q_0 is useful. Consider first the limiting cases when Q_0 tends to 0 or ∞ , corresponding to zero stress or zero displacement, respectively, at z=0. The former, $Q_0=0$ leads to (if $\cos\lambda$ and $\cos\lambda$ ' are non-zero)

(a)
$$v \tan \lambda + v' \tan \lambda' = 0$$
, $v, v' \neq 0$

(b)
$$\cos \gamma d = \frac{1}{2} (\cos \lambda'/\cos \lambda + \cos \lambda/\cos \lambda')$$
,

(15)
(c)
$$U_{\theta}^{I} = B \cos (\lambda z/\ell) Z(\kappa r/a)$$
,

(d)
$$U_{\theta}^{\text{II}} = B \cos (\lambda' z/\ell') Z(\kappa r/a)$$
.

Similarly, for $Q_0 = \infty$, we have (if $\sin \lambda$ and $\sin \lambda$ ' are non-zero)

(a)
$$v \cot \lambda + v' \cot \lambda' = 0, v, v' \neq 0$$

(b)
$$\cos \gamma d = \frac{1}{2} (\cos \lambda'/\cos \lambda + \cos \lambda/\cos \lambda')$$
,

(16)

(c)
$$U_{\theta}^{I} = A \sin (\lambda z/\ell) Z(\kappa r/a)$$
,

(d)
$$U_{\theta}^{II} = A(v/v') \sin(\lambda'z/\ell') Z(\kappa r/a)$$
.

These frequency equations for $Q_0 = 0$ and ∞ , are not only simpler to solve than the general set, they are formally of the same structure as the frequency equations for the endpoints of the Brillouin zones which define the passing and stopping bands. Equations at the zone ends are obtained

by setting $\exp(i\gamma d) = \pm 1$ in equation (13); these are the cut-off points where γ changes from real to imaginary values. For $\exp(i\gamma d) = +1$, this has solutions with a period d at frequencies defined by

(a)
$$v \tan(\lambda/2) + v' \tan(\lambda'/2) = 0$$
,

(17)

(b)
$$v \tan(\lambda'/2) + v' \tan(\lambda/2) = 0$$
,

and for $exp(i\gamma d) = -1$, it has solutions of period 2d at frequencies defined by

(a)
$$v \tan(\lambda/2) - v' \cot(\lambda'/2) = 0$$
,

(b)
$$v \cot(\lambda/2) - v' \tan(\lambda'/2) = 0$$
.

We thus see that the wave numbers satisfying equation (15(a)) are one-half that satisfying equation (17(a)); that for equation (16(a)) are one-half the wave numbers satisfying equation (17(b)).

It may be pointed out that $Q_{_{\mbox{O}}}$ satisfies a quadratic equation, and for a fixed κ and given values of (Ω,γ) , there are always two values of $Q_{_{\mbox{O}}}$. Thus

(18a)
$$Q_0^{(1)} = 0; \quad Q_0^{(2)} = v \tan \lambda = -v' \tan \lambda',$$

are the two roots of Eq. (12) in the presence of the constraining equation (15a). The displacement field in the second case is

$$U_{\theta}^{I} = A \csc \lambda \cos \lambda (z/\ell - 1) Z(\kappa r/a),$$

$$(19a)$$

$$U_{\theta}^{II} = -A' \csc \lambda' \cos \lambda' (z/\ell' + 1) Z(\kappa r/a).$$

Similarly

(18b)
$$Q_0^{(1)} = \infty; \quad Q_0^{(2)} = -\nu \cot \lambda = \nu' \cot \lambda',$$

are the two roots of the same equation in the presence of the constraining equation (16a). The displacement field in the second case is

$$U_{\theta}^{I} = A \sec \lambda \sin \lambda (z/\ell - 1) Z(\kappa r/a),$$
(19b)
$$U_{\theta}^{II} = A' \sec \lambda' \sin \lambda' (z/\ell' + 1) Z(\kappa r/a).$$

In each of these four cases the Floquet number γ is governed by the same equation (15a).

These "second" solutions correspond to the same problem with the z origin shifted by one segment, e.g. by ℓ . For example, the solution for $Q_0^{(1)} = 0$ corresponds to a zero shear stress at z equal to zero while the "second" solution, $Q_0^{(2)} = \nu \tan \lambda$, corresponds to a zero shear stress at $z = \ell$, etc.

The equation (15b = 16b) can be rewritten as

$$\sin(\gamma d/2) = \pm \frac{1}{2} ((\cos \lambda/\cos \lambda')^{1/2} - (\cos \lambda'/\cos \lambda)^{1/2}),$$
(20)
$$\cos(\gamma d/2) = \pm \frac{1}{2} ((\cos \lambda/\cos \lambda')^{1/2} + (\cos \lambda'/\cos \lambda)^{1/2}),$$

and therefore we see that at the end points of the Brillouin zones

$$\cos \lambda' - \cos \lambda = 0 \quad \text{when } \gamma d = 0, 2\pi, 4\pi, \dots$$
(21)
$$\cos \lambda' + \cos \lambda = 0 \quad \text{when } \gamma d = \pi, 3\pi, 5\pi, \dots$$

Thus on the left end of the zone

(22a)
$$\lambda' = \lambda \pm \eta_e \pi$$
, $\eta_e = 0, 2, 4, ...$

and on the right end of the zone

(22b)
$$\lambda' = \lambda \pm \eta_0 \pi$$
, $\eta_0 = 1, 3, 5, ...$

Consider now the case when $Q_0 = 0$. On the left end of the zone $\cos \lambda' = \cos \lambda$ imply $\sin \lambda' = \sin \lambda$ and therefore from Eq. (15a)

(23)
$$(v + v') \tan \lambda = 0.$$

Consequently, either (v + v') = 0, or $\sin \lambda = 0$. Hence, either

(24)
$$\lambda = \pm \pi \eta_0 / [(\mu/\mu)(\ell/\ell) + 1], \text{ or } \lambda = m\pi, m = 0, 1, 2, ...$$

Knowing λ from this equation, we can now find λ' from Eq. (22a). However, in the second case, η_e in Eq. (22a) and m in Eq. (24)₂, cannot both be

arbitrary since from Eq. (4)

(25)
$$\lambda'^2 = (\ell'/\ell)^2 (c/c)^2 \lambda^2 + (\ell'/a)^2 \kappa^2 ((c/c')^2 - 1).$$

When $Q_0 = \infty$, we find from Eqs. (21) and (16a) that

$$(v + v') \cot \lambda = 0$$
.

and therefore, either (v + v') = 0, or $\cos \lambda = 0$. Hence, in this case either

(26)
$$\lambda = \pm \pi \eta_e / [(\mu/\mu)(\ell^*/\ell) + 1], \text{ or } \lambda = m\pi/2, m = 1, 3, 5, ...$$

On the right end of the zone, we have simply to replace the integers η_e by η_o to obtain corresponding formulas for λ and λ^{\dagger} when $Q_o=0$ or $Q_o=\infty.$

It is easy to see that in the interior of the Brillouin zone 0 < γd < π , γd is always complex for real values of λ and λ' , $\lambda \neq \lambda'$. This follows immediately from the fact that Eq. (15b) can be rewritten as

(27)
$$\exp i\gamma d = \cos \lambda/\cos \lambda'$$
.

We therefore conclude that when $Q_c = 0$ (stress-free interface), or when $Q_o = \infty$ (displacement-free interface) torsional waves cannot be propagated in a prismatic cylinder with periodic structure and are therefore damped out.

We now consider those values of Q_0 which lead to information concerning frequencies in the passing band. From Eq. (12) we find that when $Q_0 = \pm i v^{\dagger}$

(28)
$$v'(v^2 - v'^2) \sin \lambda \exp (\pm i\lambda') = 0$$
,

and when Q = ±iv

(29)
$$v(v^2 - v'^2) \sin \lambda' \exp (\pm i\lambda) = 0.$$

We assume that $v \neq \hat{v}$, $v \neq 0$ and $v' \neq 0$. Then for $Q_0 = \pm i\hat{v}$, $\sin \lambda = 0$ and in accordance with Eq. (14) $\cos \gamma d = \pm \cos \lambda'$. Therefore

$$\lambda = \eta \pi$$
, $\eta = 0, 1, 2, ...$

It therefore follows from Eq. (4) that

$$\Omega^{2} = k^{2} + (2\eta h/l)^{2}$$
(31)
$$(c/c')^{2}\Omega^{2} = k^{2} + (2h/\pi l')^{2}(\gamma d \pm m\pi)^{2}.$$

For every value of radial wave number k, these two equations determine a unique value of Ω and γ . Plotting Ω versus γd , the first equation gives us lines of constant Ω for every given k and for different values of η . The second equation gives us a series of hyperbolas (or straight lines when $k_0=0$). Starting with the cut-off frequencies when $\gamma d=0$, the real branches of the dispersion curves lie between the bounds defined by Eq. (31). The dispersion curve will cross the bounds only at their points of intersection, where $Q_0=\pm i\nu^{\dagger}$.

Another independent set of bounds can similarly be found when $Q_0 = \pm \ i\nu, \ \text{leading to sin} \ \lambda' = 0. \ \text{In this case the two equations of the bounds are}$

$$(c/c')^2 \Omega^2 = k^2 + (2\eta h/l')^2,$$

 $\Omega^2 = k^2 + (2h/\pi l)^2 (\gamma d \pm m\pi)^2.$

Since the cut-off frequencies at $\gamma=0$ and $\gamma d=\pi$ are available from the roots of Eqs. (17, 18), the knowledge of additional intersection points inside the Brillouin zone, provides us with sufficient information to sketch the dispersion curve qualitatively. The use of interfacial parameter Q_0 therefore provides us with a scheme for a qualitative solution, which may be valuable in more complex problems.

Physically, these two cases correspond to A' = iB' and A = iB respectively. These conditions in turn lead to the requirement that the ratio of shear stress, $\tau_{z\theta}(z)$, to displacement, $U_{\theta}(z)$, be uniform throughout region II for Q_0 = iv and throughout region I for Q_0 = iv', i.e., $\tau_{z\theta}^{II}(z)/U_{\theta}^{II}(z) = \tau_{z\theta}^{II}(0)/U_{\theta}^{I}(0)$ respectively.

The bounding curves for Q_0 = iv, and iv', are shown in Fig. 1 along with the actual dispersion curve as calculated in ref. [1] for the lowest branch, κ_0 = 0, for a solid cylinder. The parameters used are μ/μ' = 1/40, ℓ/α = 3/5, ℓ'/α = 3, ϵ/ϵ' = 1/4. For these parameters, the bounding curves for Q_0 = iv' are Ω = 5 $\eta/3$; $\frac{\gamma d}{\pi}$ = $\frac{3}{4}\Omega$ + η and for Q_0 = iv are Ω = 4 $\eta/3$; $\frac{\gamma d}{\pi}$ = $\frac{3}{5}\Omega$ + η .

The scale for Ω in reference [1] is different from that used in this paper by a factor of 2 since ω there was nondimensionalized with respect to the lowest thickness shear mode frequency of an infinite plate of half width a while here a half width h, equal to a/2 for a solid

cylinder, is used. Thus values from reference [1] used for comparison here must be divided by 2. Thus, the cut off frequencies are at Ω = 0, 0.290, 1.168, 1.359, 1.628, 1.872, 2.620, 2.772, etc. The intersection points of the bounding curves lie for Q_0 = iv at (1.8, 1.33) for η = 1, m = 1 and at (3.6, 2.67) for η = 2, m = 2 while for Q_0 = iv, the first point lies at (2.25, 1.67) for η = 1, m = 1 and the others lie beyond the range of calculated values. The complex roots lie at (1 + 0.177i, 0.764) and (1 + 0.729i, 0.679) for Q_0 = 0, ∞ respectively on the first complex branch, at (2 + 0.055i, 1.361) and (2 + 0.080i, 1.1624) for Q_0 = 0, ∞ respectively on the second branch, etc.

The effort in calculating all of these bounds and solution points and the end points of the Brillouin zones is considerably less than that involved in determining the complete dispersion spectrum, even for this simple problem, yet these few calculations are sufficient for a reasonably accurate sketch. It is anticipated that this reduction in effort will apply to more general problems as well.

REFERENCES

- 1. Kaul, R.K. and Hermann, G., "Free Torsional Vibrations of an Elastic Cylinder with Laminated Periodic Structure," Int. J. Solids and Structures, 12, 449-466 (1976).
- Kaul, R.K. and Herrmann, G., "Torsional Vibrations of a Hollow Cylinder with Periodic Structure," SUDAM Report 75-11, Dept. of Applied Mechanics, Stanford University, Stanford, CA 94305 (1975).
- Abramovitz, M. and Stegun, I.A., <u>Handbook of Mathematical Functions</u>, NBS Applied Mathematical Series 55, U.S. Government Printing Office, Washington, DC, p. 409 (1964).




Figure 1: Dispersion curve with Bounds shown for $Q_0 = i\nu$ (----) and $i\nu'$ (------). End points are shown as \bullet , intersection of bounds as x and complex roots as \odot .

1. ORIGI	NATING ACTIVITY		und indexing it			CURITY CLASSIFICATION
		,				ssified
The F	Research Foun	dation of the St	tate Univer	sity of	2b. GROUP	22TT TER
		or the bi	New Yo			
A REPO	RT TITLE		New 10		•]	
INTER	GACIAL ELAST	IC_PARAMETERS IN	N TORSIONAL	VIBRATIONS	OF A PERIO	DIC_STRUCTURED
CALIN	NDRICAL ROD.				-	2
						The state of the s
		pe of report and inclusive	dates)			
	nary + Kept					
1		iddle initial, last name)	1			
Rich	nard P. Shaw	R. K. Kaul				
0	-					
(11)			1			T
Sept	RT DATE 1077	(1)	2) 1801	70. TOTAL NO. C	PAGES	7b. NO. OF REFS
L			1-04.1	14		3
Sa. Cor	THE OR GRANT	1 1/			S REPORT NUME	
(/:	5) N 00014-75	5-C-0302		Departme	ent of Engi	neering Science
b. PRO.	JECT NO.				Report No	71037
					Meport No-	.[
c.				9b. OTHER REPO	ORT NO(S) (Any of	her numbers that may be assig
d.						
10. DIST	RIBUTION STATEM	ENT				
•	approved for I	Public Release.	Distributi	ion Unlimite	ed.	
	pproved for I		Distribut		ed.	VITY
			Distribut	12. SPONSORING	MILITARY ACTIV	
			Distribut	Office of	MILITARY ACTIV	arch-Structural
			Distribut	Office of	MILITARY ACTIV	arch-Structural
	PLEMENTARY NOTE		Distribut	Office of	MILITARY ACTIV	arch-Structural
11. SUPE	PLEMENTARY NOTE	:5		Office of Mechanics	Maval Resea	arch-Structural
is. sups	TRACT	levelop a method	for qualit	Office of Mechanics	Naval Resea	arch-Structural n, D.C. frequency spectrum
II. SUPE	TRACT is note, we directoral waves	develop a methods propagating in	for qualit	Office of Mechanics	Naval Resea Washington	arch-Structural n, D.C. frequency spectrum
In the of to metho	TRACT is note, we dersional waves depends upo	develop a method s propagating in on the use of in	for qualit	Office of Mechanics	Naval Resea Washington	arch-Structural n, D.C. frequency spectrum
In the of to metho	TRACT is note, we directoral waves	develop a method s propagating in on the use of in	for qualit	Office of Mechanics	Naval Resea Washington	arch-Structural n, D.C. frequency spectrum
In the of to metho	TRACT is note, we dersional waves depends upo	develop a method s propagating in on the use of in	for qualit	Office of Mechanics	Naval Resea Washington	arch-Structural n, D.C. frequency spectrum
In the of to metho	TRACT is note, we dersional waves depends upo	develop a method s propagating in on the use of in	for qualit	Office of Mechanics	Naval Resea Washington	arch-Structural n, D.C. frequency spectrum
In the of to metho	TRACT is note, we dersional waves depends upo	develop a method s propagating in on the use of in	for qualit	Office of Mechanics	Naval Resea Washington	arch-Structural n, D.C. frequency spectrum
In the of to metho	TRACT is note, we dersional waves depends upo	develop a method s propagating in on the use of in	for qualit	Office of Mechanics	Naval Resea Washington	arch-Structural n, D.C. frequency spectrum
In the of to metho	TRACT is note, we dersional waves depends upo	develop a method s propagating in on the use of in	for qualit	Office of Mechanics	Naval Resea Washington	arch-Structural n, D.C. frequency spectrum
In the of to metho	TRACT is note, we dersional waves depends upo	develop a method s propagating in on the use of in	for qualit	Office of Mechanics	Naval Resea Washington	arch-Structural n, D.C. frequency spectrum
In the of to metho	TRACT is note, we dersional waves depends upo	develop a method s propagating in on the use of in	for qualit	Office of Mechanics	Naval Resea Washington	arch-Structural n, D.C. frequency spectrum
In the of to metho probl	react is note, we designed along the consideral	develop a method propagating in the use of in	for qualit a solid cy aterfacial e	Office of Mechanics	Naval Resea Washington etching the periodic sameter, which	arch-Structural n, D.C. frequency spectrum structure. The ch simplifies the
In the of to metho probl	react is note, we designed depends upon considerate.	develop a method s propagating in on the use of in	for qualit a solid cy aterfacial e	Office of Mechanics	Naval Resea Washington etching the periodic sameter, which	arch-Structural n, D.C. frequency spectrum structure. The ch simplifies the
In the of to metho probl	react is note, we designed depends upon considerate.	develop a method s propagating in on the use of in	for qualit a solid cy aterfacial e	Office of Mechanics	Naval Resea Washington etching the periodic sameter, which	arch-Structural n, D.C. frequency spectrum structure. The ch simplifies the
In the of to metho probl	react is note, we designed along the consideral	develop a method s propagating in on the use of in	for qualit a solid cy aterfacial e	Office of Mechanics	Naval Resea Washington etching the periodic sameter, which	arch-Structural n, D.C. frequency spectrum structure. The ch simplifies the
In the of to metho probl	react is note, we designed depends upon considerate.	develop a method s propagating in on the use of in	for qualit a solid cy aterfacial e	Office of Mechanics	Naval Resea Washington etching the periodic sameter, which	arch-Structural n, D.C. frequency spectrum structure. The ch simplifies the
In the of to metho probl	react is note, we designed depends upon considerate.	develop a method s propagating in on the use of in	for qualit a solid cy aterfacial e	Office of Mechanics	Naval Resea Washington etching the periodic sameter, which	arch-Structural n, D.C. frequency spectrum structure. The ch simplifies the
In the of to metho probl	react is note, we designed depends upon considerate.	develop a method s propagating in on the use of in	for qualit a solid cy aterfacial e	Office of Mechanics	Naval Resea Washington etching the periodic sameter, which	arch-Structural n, D.C. frequency spectrum structure. The ch simplifies the
In the of to metho probl	react is note, we designed depends upon considerate.	develop a method s propagating in on the use of in	for qualit a solid cy aterfacial e	Office of Mechanics	Naval Resea Washington etching the periodic sameter, which	arch-Structural n, D.C. frequency spectrum structure. The ch simplifies the
In th of to metho probl	react is note, we designed depends upon considerate.	develop a method s propagating in on the use of in	for qualit a solid cy aterfacial e	Office of Mechanics	Naval Resea Washington etching the periodic sameter, which	arch-Structural n, D.C. frequency spectrum structure. The ch simplifies the
In the of to metho probl	react is note, we designed depends upon considerate.	develop a method s propagating in on the use of in	for qualit a solid cy aterfacial e	Office of Mechanics	Naval Resea Washington etching the periodic sameter, which	arch-Structural n, D.C. frequency spectrum structure. The ch simplifies the

DD FORM 1473

(PAGE 1) 496 156

UNCLASSIFIED
Security Classification

A-31408